



INTRODUCTION

The 210 Series is an adjustable door closer for light traffic commercial openings, including office and utility closet doors. It features an adjustable spring; tri-packed, non-hold open arms; and both independent and separate latch, sweep and backcheck intensity valves. The 210 is ideal for stocking distributors serving high-volume after-market segments.



FEATURES

- » Adjustable spring size 1 through 6
- Non-handed
- Cast aluminum body
- Rack-and-pinion design
- Independent latch sweep and backcheck intensity valves
- Full plastic cover
- Non-hold open, hold open and heavy-duty arms
- Closer footprint: 3/4" x 12"
- Cover dimensions: 2-15/16" high x 2-1/8" deep x 13-1/16" long
- Available in 689 (aluminum) or 690 (dark bronze) finishes
- Sex nuts (SN-134) included
- 10 year limited warranty

CERTIFICATIONS

- ANSI/BHMA A156.4, Grade 1
- UL / cUL listed for use on fire rated doors (L)



- UL10C listed for positive pressure fire test
- Meets requirements for Americans with Disabilities Act (ADA) and ANSI/BHMA A117.1


TABLE OF CONTENTS

Features, Certifications	.2
Applications	
Applications	٠,
How to Order	4




APPLICATIONS

Standard Arms




TPN arm shown (regular mounting)

- » Pull-side application
- » Closer mounted on the door



TPN arm shown (top jamb mounting)

- » Push-side application
- » Closer mounted on the frame
- \rightarrow Minimum top rail = 2-1/4" (57mm)
- » Maximum frame reveal = 2-3/4" (70mm)



TPN arm shown (parallel mounting)


- » Push-side application
- Closer mounted on the door

Heavy Duty Arms



HDH arm (with stop) shown

- » Push-side application
- » Stop is removable



HDN arm (without stop) shown

- » Push-side application
- » Stop is removable

NOTE: Arms are not interchangeable with Norton's premium line of closers.

ACCESSORIES

Part Number	Description
210P	Full Plastic Cover
SP210	Screw pack for TPN arm

HOW TO ORDER

210Defines Closer Series

Includes Full Cover

X TPN
Suffix

TPN – Tri-Packed (Regular, Parallel, Top Jamb Mounting), Non-Hold Open

TPH – Tri-Packed (Regular, Parallel, Top Jamb Mounting), Hold Open

HDN – Heavy Duty, Non-Hold Open with Removable Stop

HDH– Heavy Duty, Hold Open Thumbturn with Removable Stop

Norton[®]
ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience Since 1880, Norton door controls have been an integral part of schools, hospitals and businesses around the globe. When you need products and people that perform at the highest level, rely on Norton – From Open to Close.

Norton Door Controls | www.nortondoorcontrols.com

3000 Highway 74 East | Monroe, NC 28112 | Tel: 1-877-974-2255 | Fax: 1-800-338-0965

ASSA ABLOY Door Security Solutions Canada | www.assaabloy.ca

160 Four Valley Drive | Vaughan, Ontario, L4K 4T9 Canada | Tel: 800-461-3007 | Fax: 1-905-738-2478

Norton is a brand associated with Yale Security Inc., an ASSA ABLOY Group company. Copyright \bigcirc 2012–2017, Yale Security Inc. All rights reserved. Reproduction in whole or in part without the express written permission of Yale Security Inc. is prohibited.

FINISH

689 - ALUMINUM

690 - DARK BRONZE

X