

# PERFORMANCE IP SERIES

## Indoor/Outdoor Mounts and Accessories

Honeywell's Performance Series mounts and accessories provide a range of installation options for the Honeywell Performance Series IP cameras, including junction box, wall, pole, and corner mounts.

The mounts provide easy cable routing with no exposed wiring, and the cameras can be installed, adjusted, and tested without repositioning the housing. All of the mounts and accessories are suitable for indoor or outdoor use.

The junction boxes, and pole mount are constructed of die-cast aluminum. The corner mount adapter is made of SECC steel. The HEJB junction box is made of die-cast aluminum and SECC steel. All of the mounts and accessories are powder coated to match the finish of the camera.

### Market Opportunities

Honeywell's Performance Series mounts and accessories provide excellent value at an attractive price, featuring simple, clean lines, and rugged construction for a wide range of mounting options.



*HQA-BB1  
Junction Box*



*HQA-WK  
Wall Mounts*



*HQA-BB2  
Junction Box*



*HQA-WK2  
Wall Mounts*



*HQA-BB3  
Junction Boxes*



*HQA-BB4  
Junction Box*



*HQA-PM2  
Pole Mount*



*HQA-PK  
Pendent Mount Cap*



*HB34S2-CM  
Corner Mount*



*HBS2-BB  
Junction Box*



*HQA-CB Ceiling  
Mount Bracket*



*HQA-CBE Ceiling  
Mount Extend Bracket*



*HQA-IC  
In-Ceiling Bracket*



*HEJB  
Junction Box*

**Honeywell**


# INDOOR/OUTDOOR MOUNTS AND ACCESSORIES

## FEATURES AND BENEFITS


DESCRIPTION	JUNCTION BOX						WALL MOUNT		POLE MOUNT	CEILING MOUNT	PENDANT MOUNT			CORNER MOUNT ADAPTER
	HQA-BB1	HQA-BB2	HQA-BB3	HQA-BB4	HBS2-BB	HEJB	HQA-WK	HQA-WK2	HQA-PM2	HQA-IC	HQA-CB	HQA-CBE	HQA-PK	HB34S2-CM
LOW PROFILE, CONTEMPORARY DESIGN	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
ECONOMICALLY PRICED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
EASY CABLE FEED-THROUGH	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
DIE-CAST ALUMINUM	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SECC STEEL						✓								✓
OFF-WHITE POWDER FINISH	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓
GREY POWDER FINISH												✓		
INDOOR/OUTDOOR	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

## DIMENSIONS


HQA-BB1




HBS2-BB



HQA-BB2




HEJB




# INDOOR/OUTDOOR MOUNTS AND ACCESSORIES

## DIMENSIONS


HQA-BB3




HQA-WK



HQA-BB4




HQA-WK2




# INDOOR/OUTDOOR MOUNTS AND ACCESSORIES

## DIMENSIONS


HB34S2-CM




HQA-IC



HQA-CB




HQA-CBE




# INDOOR/OUTDOOR MOUNTS AND ACCESSORIES

## DIMENSIONS

### HQA-PK



### HQA-PM2



# INDOOR/OUTDOOR MOUNTS AND ACCESSORIES

## COMPATIBLE IP CAMERAS

MOUNTS	COMPATIBLE PERFORMANCE IP CAMERAS
HQA-BB1	N/A
HQA-BB2	H4W2PER2V, H4W4PER2V, H4W8PER2V, H4W2PER3V, H4W4PER3V, H4W8PER1V, HEW8PER2V, HEW2PER2V, HEW4PER2V, HEW2PER3V, HEW4PER3V, HEW8PER1V
HQA-BB3	H2W4PER3V
HQA-BB4	H4W2PER2V, H4W4PER2V, H4W8PER2V, HEW8PER2V, HEW2PER2V, HEW4PER2V, HEW2PER3V, HEW4PER3V, HEW8PER1V
HBS2-BB	HBW2PER1V, HBW4PER1V, HBW8PER1V, HBW2PER2V, HBW4PER2V, HBW8PER2V, HEW8PER2V, HEW2PER2V, HEW4PER2V, HEW2PER3V, HEW4PER3V, HEW8PER1V
HEJB	HBW2PER1V, HBW4PER1V, HBW8PER1V, HEW8PER2V, HEW2PER2V, HEW4PER2V, HEW2PER3V, HEW4PER3V, HEW8PER1V
HQA-PM2	H4W2PER2V, H4W4PER2V, H4W8PER2V, H4W2PER3V, H4W4PER3V, H4W8PER1V, HBW2PER1V, HBW4PER1V, HBW8PER1V, HBW2PER2V, HBW4PER2V, HBW8PER2V, HEW8PER2V, HEW2PER2V, HEW4PER2V, HEW2PER3V, HEW4PER3V, HEW8PER1V, H2W4PER3V
HB34S2-CM	H4W2PER2V, H4W4PER2V, H4W8PER2V, H4W2PER3V, H4W4PER3V, H4W8PER1V, HBW2PER1V, HBW4PER1V, HBW8PER1V, HBW2PER2V, HBW4PER2V, HBW8PER2V, HEW8PER2V, HEW2PER2V, HEW4PER2V, HEW2PER3V, HEW4PER3V, HEW8PER1V
HQA-WK	H4W2PER2V, H4W4PER2V, H4W8PER2V, H4W2PER3V, H4W4PER3V, H4W8PER1V, HEW8PER2V, HEW2PER2V, HEW4PER2V, HEW2PER3V, HEW4PER3V, HEW8PER1V
HQA-WK2	H2W4PER3V
HQA-IC	H4W2PER2V, H4W4PER2V, H4W8PER2V
HQA-RS	H4W2PER2V, H4W4PER2V, H4W8PER2V, H4W2PER3V, H4W4PER3V, H4W8PER1V
HQA-PK	H4W2PER2V, H4W4PER2V, H4W8PER2V, H4W2PER3V, H4W4PER3V, H4W8PER1V, HEW8PER2V, HEW2PER2V, HEW4PER2V, H2W4PER3V
HQA-CB	H4W2PER2V, H4W4PER2V, H4W8PER2V, H4W2PER3V, H4W4PER3V, H4W8PER1V, HEW8PER2V, HEW2PER2V, HEW4PER2V, H2W4PER3V
HQA-CBE	H4W2PER2V, H4W4PER2V, H4W8PER2V, H4W2PER3V, H4W4PER3V, H4W8PER1V, HEW8PER2V, HEW2PER2V, HEW4PER2V, H2W4PER3V

# INDOOR/OUTDOOR MOUNTS AND ACCESSORIES

## SPECIFICATIONS

MECHANICAL			
MODEL NO.	UNIT WEIGHT	CONSTRUCTION	DIMENSIONS
HQA-BB1	1.1 lb (0.5 kg)	Die-cast aluminum	5.28 × 5.28 × 2.17 in. (134.0 × 134.0 × 55.0 mm)
HQA-BB2	1.32 lb (0.6 kg)	Die-cast aluminum	5.28 × 5.28 × 2.01 in. (134.0 × 134.0 × 51.0 mm)
HQA-BB3	1.08 lb (0.49 kg)	Die-cast aluminum	6.30 × 4.80 × 3.00 in. (160.0 × 122.0 × 76.0 mm)
HQA-BB4	0.53 lb (0.24 kg)	Aluminum	ø 4.80 × 1.35 in. (ø 122.0 × 34.2 mm)
HQA-RS	0.55 lb (0.25 kg)	Aluminum & SGCC	5.09 × 5 × 5.79 in. (129.3 × 127 × 147 mm)
HBS2-BB	1.1 lb (0.5 kg)	Die-cast aluminum	5.28 × 5.28 × 2.17 in. (134.0 × 134.0 × 55.0 mm)
HEJB	0.84 lb (0.38 kg)	Die-cast aluminum and SECC steel	ø 5.43 × 1.65 in. (ø 138.0 × 42.0 mm)
HQA-PM2	0.6 lb (0.27 kg)	Die-cast aluminum	4.94 × 4.49 × 0.79 in. (125.6 × 114.0 × 20.0 mm)
HB34S2-CM	3.75 lb (1.7 kg)	SECC	9.57 × 6.69 × 5.43 in. (243 × 170 × 138 mm)
HQA-WK	2.2 lb (1.0 kg)	Die-cast aluminum and ABS	4.72 × 2.85 × 6.3 in. (120.0 × 72.3 × 160.0 mm)
HQA-WK2	0.35 lb (0.16 kg)	Die-cast aluminum	ø 4.25 × 1.12 in. (ø 108.0 × 28.5 mm)
HQA-IC	0.71 lb (0.32 kg)	SECC & PC	ø 6.54 × 2.98 in. (ø 166.0 × 75.8 mm)
HQA-PK	0.64 lb (0.29 kg)	Aluminum	ø 5.28 × 3.29 in. (ø 134.1 × 83.5 mm)
HQA-CB	1.98 lb (0.9 kg)	Aluminum	ø 5.07 × 30.2 in. (ø 128.8 × 767.0 mm)
HQA-CBE	1.43 lb (0.65 kg)	Aluminum	ø 1.65 × 30.71 in. (ø 42 × 780 mm)

## ORDERING

HQA-BB1	Junction Box, Off-White
HQA-BB2	Junction Box, Off-White
HQA-BB3	Junction Box, Off-White
HQA-BB4	Junction Box, Off-White
HQA-RS	Rain Shield Bracket, Off-White
HBS2-BB	Junction Box, Off-White
HEJB	Junction Box, Off-White
HQA-PM2	Pole Mount Adapter, Off-White
HB34S2-CM	Corner Mount Adapter, Off-White
HQA-WK	Wall Mount, Off-White
HQA-WK2	Wall Mount, Off-White

HQA-IC	In-Ceiling Bracket, Off-White
HQA-PK	Pendant Mount Cap, Off-White
HQA-CB	Ceiling Mount Bracket, Off-White
HQA-CBE	Ceiling Mount Extend Bracket, Off-White

- The HQA-CB must be used when installing the camera to HQA-PK.
- The HQA-CBE must be used with HQA-CB together.
- The HQA-WK/HQA-WK2/HQA-BB2/HQA-BB3/HQA-BB4 must be used when installing the camera to HQA-PM2.
- The HQA-BB2 must be used when installing the camera to HB34S2-CM.
- The HBS2-BB/HEJB must be used when installing the camera to HQA-PM2.
- The HBS2-BB/HEJB must be used when installing the camera to HB34S2-CM.

### For more information

[www.security.honeywell.com/me](http://www.security.honeywell.com/me)

### Honeywell Commercial Security

Emaar Business Park, Sheikh Zayed Road

Building No. 2, 2nd floor, 201

Post Office Box 232362

Dubai, United Arab Emirates

Tel: +971 4 450 5800

[www.honeywell.com](http://www.honeywell.com)

Honeywell reserves the right, without notification, to make changes in product design or specifications.

HSV-PERF\_MNTS\_ACC-04-ME(0921)DS-Z  
© 2021 Honeywell International Inc.

**Honeywell**